

Hydrated Lime - Calcium Hydroxide

SECTION 1. IDENTIFICATION

Product Identifier	Hydrated Lime - Calcium Hydroxide
Other Means of Identification	Calcium dihydroxide, Hydrated lime
Product Code(s)	LI1610
Product Family	Inorganic Solid
Recommended Use	Laboratory and industrial use.
Restrictions on Use	None known.
Supplier Identifier	Alphachem Limited, 2485 Milltower Court, Mississauga, Ontario, L5N 5Z6, (905) 821-2995
Emergency Phone No.	CANUTEC CANADA, 613-996-6666, 24 Hours
SDS No.	0266

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015) and the US Hazard Communication Standard (HCS 2012).

Classification

Acute toxicity (Oral) - Category 5; Skin corrosion - Category 1; Serious eye damage - Category 1; Specific target organ toxicity (single exposure) - Category 3; Specific target organ toxicity (repeated exposure) - Category 2 Label Elements



Signal Word: Danger

Hazard Statement(s): May cause damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary Statement(s): Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands and skin thoroughly after handling. Wear protective gloves/protective clothing. Use only outdoors or in a well-ventilated area. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water/ If skin irritation occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. Storage: Store in accordance with local, regional, national and international regulations.

Protect from sunlight. Store in a well-ventilated place.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance:

Chemical Name	CAS No.	%	Other Identifiers
Calcium hydroxide	1305-62-0	90 - 100	Calcium dihydroxide, Hydrated lime

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Keep at rest in a position comfortable for breathing. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor.

Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Quickly and gently blot or brush away excess chemical. Immediately rinse skin with lukewarm, gently flowing water for at least 60 minutes.

Eye Contact

Quickly and gently blot or brush chemical off the face. Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for at least 60 minutes, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. If exposed or concerned, call a Poison Centre or doctor.

First-aid Comments

Some of the first-aid procedures recommended here require advanced first-aid training. If exposed or concerned, get medical advice or attention. Get medical advice or attention if you feel unwell or are concerned.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: contact can cause pain, redness, burns, and blistering. Permanent scarring can result. If in eyes: contact causes severe burns with redness, swelling, pain and blurred vision. Permanent damage including blindness can result.

Immediate Medical Attention and Special Treatment

Special Instructions

General advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

DO NOT use carbon dioxide, or other agents that smother the flames.

Specific Hazards Arising from the Product

Heating increases the release of toxic vapour. Closed containers may rupture violently when heated releasing contents.

Product Identifier:	Hydrated Lime - Calcium Hydroxide
Date of Preparation:	December 09, 2015

Flammable hydrogen. Calcium Oxide.

Special Protective Equipment and Precautions for Fire-fighters

Evacuate area. Fight fire from a safe distance or a protected location. Approach fire from upwind to avoid hazardous vapours or gases. For a massive fire, immediately evacuate the area and use unmanned hose holder or monitor nozzles. Before entry, especially into confined areas, use an appropriate monitor to check for: toxic gases or vapours, sufficient oxygen. Dike and recover contaminated water for appropriate disposal.

Fire-fighters should enter area wearing specialized protective equipment. (Bunker Gear will not provide adequate protection.) chemical protective clothing (e.g. chemical splash suit) and positive pressure SCBA may be necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Emergency responders: evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Remove or isolate incompatible materials as well as other hazardous materials.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Methods and Materials for Containment and Cleaning Up

Collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal. Store recovered product in suitable containers that are: tightly-covered.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Wear personal protective equipment to avoid direct contact with this chemical. Do not get in eyes, on skin or on clothing. Only use where there is adequate ventilation. Avoid generating dusts. Avoid heating that will increase the amount of vapours. Prevent accidental contact with incompatible chemicals. Never add water to a corrosive. Always add corrosives slowly to COLD water. Keep containers tightly closed when not in use or empty.

Conditions for Safe Storage

Store in an area that is: cool, dry, secure and separate from work areas, separate from incompatible materials (see Section 10: Stability and Reactivity). Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity). Store in a closed container. Empty containers may contain hazardous residue. Store separately. Keep closed. Follow all precautions given on this safety data sheet. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	ТWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Calcium hydroxide	5 mg/m3		5 mg/m3			

Appropriate Engineering Controls

Use local exhaust ventilation and enclosure, if necessary, to control amount in the air. Use a corrosion-resistant exhaust ventilation system separate from other ventilation systems. Exhaust directly to the outside, taking any necessary precautions for environmental protection. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots. Suitable materials are: neoprene rubber, nitrile rubber, polyethylene.

Respiratory Protection

No specific guidelines are available. Contact chemical manufacturer/supplier for advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	White powder.
Odour	Odourless
Odour Threshold	Not available
рН	12.4 (saturated solution)
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid, gas)	Will not burn.
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	~ 0 kPa (0 mm Hg)
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	2.24
Solubility	Slightly soluble in water; Soluble in all proportions in acids (e.g. acetic acid).
Partition Coefficient, n-Octanol/Water (Log Kow)	Not applicable
	1. Z. W. 1.
Auto-ignition Temperature	Not applicable
Decomposition Temperature	580 °C (1076 °F)
Viscosity	Not applicable (kinematic); Not applicable (dynamic)
Other Information	
Physical State	Solid

SECTION 10. STABILITY AND REACTIVITY

ReactivityNot reactive under normal conditions of use.Chemical StabilityNormally stable.Possibility of Hazardous ReactionsNone known.Conditions to AvoidHigh temperatures. Water, moisture or humidity. Generation of dust.Incompatible MaterialsMetals (e.g. aluminum), ketones (e.g. acetone), strong acids (e.g. hydrochloric acid).Hazardous Decomposition ProductsCalcium Oxide.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Calcium hydroxide		7340 mg/kg (rat)	

Skin Corrosion/Irritation

May burn the skin. Permanent scarring may result.

Serious Eye Damage/Irritation

Causes serious eye damage based on skin corrosion information.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause severe nose and throat irritation.

Skin Absorption

No information was located.

Ingestion

May cause severe irritation or burns to the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

If inhaled: causes irritation of the respiratory system. Respiratory tract injury has been observed. Following skin contact: causes dermatitis. Symptoms may include dry, red, cracked skin (dermatitis).

Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer. Not known to be a skin sensitizer.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Calcium hydroxide	Not evaluated	Not designated	Not Listed	

Reproductive Toxicity

Development of Offspring

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

Not known to be a mutagen.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS. This section is not required by OSHA HCS 2012.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Listed on the DSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

Listed on the TSCA Inventory.

SECTION 16. OTHER INFORMATION

NFPA Rating SDS Prepared By	Health - 3 Flammability - 0 Instability - 1 Alphachem Limited
Phone No.	(905)-821-2995
Date of Preparation	December 09, 2015
Date of Last Revision	May 04, 2016
References	CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). GRAYMONT database.
Disclaimer	This document is offered only as a guide in the safe handling of the above product, and has been prepared from the best information currently available. It is not intended to be all-inclusive and the conditions of use may involve other additional considerations. Since Alphachem Limited cannot anticipate or control the conditions under which the product may be used, it will not be liable for any claims, damages or losses which may result from the use or reliance on any information herein.